

## LENOVO THINKCENTRE® M58/M58P DESKTOP

### SECURE AND MANAGE YOUR IDEAS WITH ONE ECO-FRIENDLY PACKAGE.



#### MANAGEABILITY AND STABILITY

- Platform and image stability for up to 15 months
- Global models for easy worldwide deployment
- Latest Intel® iAMT 5.0 vPro™ technology available on all form factors
- Lenovo's unique Hardware Password Manager<sup>(1)</sup> provides advanced password management. In addition to a variety of encryption possibilities, this solution features a unique hardware ID. If someone hacks your PC or makes a copy of your hard drive, they won't be able to crack the program because it works only with your PC - and no other.

(1): available in Q2, 2009



#### SECURITY

- ThinkVantage® Technologies offer Client Security Solution and an optional fingerprint reader
- I/O ports have individual disable/enable capability - Individually manage all I/O ports (including USB ports) through BIOS
- TPM (Trusted Platform Module) 1.2 data encryption - Stolen data cannot be read on any other computer
- Ready for Computrace - Locate your stolen PC when it connects to the Internet
- Chassis Intrusion Switch - Sends an alert to the management console when chassis is opened
- PS/2<sup>(2)</sup> port available on all form factors - Use PS/2® ports to avoid unauthorized data transfer and provide virus protection from USB peripheral devices

(2): optional on Eco USFF



#### GREEN COMPUTING

- ThinkVantage Power Manager for advanced power management reduces your energy footprint with control and monitoring functionality
  - Remote deployment and control of client power usage profiles is also possible, along with a time-based control to enable PC shut offs on evenings and weekends
- Energy-efficient - save up to \$31 annually per system<sup>(3)</sup>
- Green certified:
  - ENERGY STAR® 4.0 (select models)
  - EPEAT™ Gold on all form factors (select models)
  - GREENGUARD Indoor Air Quality Certified®
- Total green solution:
  - Innovative Green ThinkVision monitors - The ThinkVision L2440x Wide model consumes up to 60% less energy than previous ThinkVision monitors and is Mercury, Arsenic-free and Low Halogen. The packaging materials on select models are 65% recycled and 100% recyclable
  - New Green Fingerprint Keyboard - 35% recycled material (optional)
  - 100% recycled/recyclable thermoplastic packaging on Eco USFF and SFF<sup>(4)</sup>
  - Lenovo Asset Recovery Service (in select countries)

(3): ThinkCentre M58 SFF with ThinkVision L197 Wide vs. ThinkCentre M52 SFF with ThinkVision L194 Wide, mainstream configuration

(4): Packaging on SFF available in select countries



#### DESIGN INNOVATION

- Innovative ventilation and fan layout provides industry-leading acoustics
- Innovative small form factor design provides great ease-of-use, serviceability and thermal efficiency, all in a svelte 10L footprint
- New Eco USFF provides a PCI slot, tool-less motherboard and optional PS/2 port
- Robust tower design provides unprecedented expandability and power in a 25L chassis

**lenovo**

NEW WORLD. NEW THINKING.™

Lenovo® recommends Windows Vista® Business.

## LENOVO THINKCENTRE M58/M58P DESKTOP

THE NEWEST IN ROCK-SOLID DESIGN MEETS GREEN COMPUTING.

ThinkCentre M58 and M58p desktops are engineered exclusively for the way you work. Equipped with the latest Intel® dual and quad-core technology, DDR3 memory and Solid State Drives<sup>(5)</sup>, desktop productivity and performance are truly maximized. Lenovo's leadership in thermals, acoustics and energy efficiency give the M58 and M58p a true edge over the competition. Added to these stand-out qualities are our ThinkVantage Technologies and licensed Intel® vPro™ technologies, intelligently combined to give you the ultimate degree of manageability. Just as impressive is the ThinkCentre's low power consumption, ensuring that the ThinkCentre M58/M58p delivers a low TCO. Using ThinkCentre M58p in conjunction with Lenovo's Secure Managed Client solution provides even greater TCO benefits.

The costs savings associated with Lenovo's Secure Managed Client are substantial - between 30 and 40% over a well-managed PC over a typical three-year lifecycle. This robust software stack and storage array simplifies your desktop solution with less cost and comes with Lenovo-unique tools enhanced by LANDesk®. It delivers true PC and windows fidelity, using off-the-shelf Windows applications, IT applications and PC add-ons to co-exist and integrate directly with existing IT, asset, process management and financial systems. It's also now dramatically easier for employees to set up - desk-side support tickets become a thing of the past. Built-in, IT-oriented business reports are delivered weekly across the company on end-user experience, client, network and printing performance. SMC allows for image management and control, and easy maintenance is offered via the SAN. Above and beyond what SMC does for you, it's risk-free because it operates as a fully functional ThinkCentre client.

(5): available on Tower and SFF models



Lenovo's Secure Managed Client<sup>(6)</sup> is a low deployment-cost solution that offers:

- Support for a standard PC option and Windows® software
- Support for standard management tools and IT processes
- Minimal changes to an existing PC infrastructure
- Consistent imaging between the laptop and standard PC
- Full Windows capability
- Full graphic support for aero glass, full motion video, etc.
- A safer investment, as it delivers a client that can be converted into a standard PC and reused in other parts of organization if needed
- A storage-based solution that does not require costly server back-end
- Industry standard protocols and standard Windows function resulting in low software cost with no requirement for expensive per client display protocol software and Citrix® clients

(6): M58 only, available in Q1, 2009 in AG and Q2, 2009 worldwide



ThinkCentre M58/M58p is thoughtfully designed with a NEW Eco uSFF design that takes up very little space but still allows for easy PCI expandability as well as being one of the most environmentally responsible desktops available:

- PCI slot for simple expansion and connectivity
- Dual Independent Display (DID) support by on-board DisplayPort and VGA
- Tool-less design - remove motherboard, HDD without tools
- 8 external USB ports
- PS/2® port support - Customers can disable each USB port individually
  - Avoid unauthorized data copy
  - Avoid virus from USB peripheral devices



ThinkCentre M58/M58p features exciting new technologies for a best-in-class user experience:

- DDR3 memory: 10% faster transfer rate and 25% power savings compared to DDR2
- On-board DisplayPort, the next generation digital display interface standard, is designed to replace DVI, LVDS, and eventually VGA providing higher performance and improved digital display connectivity
- New optional Solid State Drives (SSD)<sup>(7)</sup> give users six times the reliability improvement and a 37% increase in performance over HDD
- Optional Blu-ray™ ODD<sup>(8)</sup> enables storing large amounts of data, ten times the capacity of a standard DVD and recording, rewriting and playback of high-definition video (HD)

(7) available on Tower and SFF

(8) available on Tower Vista model

**lenovo**  
NEW WORLD. NEW THINKING.™

Lenovo® recommends Windows Vista® Business.

## THINKCENTRE M58/M58P DESKTOP SPECIFICATIONS AND SERVICES

### Processor (speed, L2 cache, FSB)

\*Intel® Core™2 Quad processor Q9x50 (12MB L2, 1333MHz FSB)

\*Intel® Core™2 Quad processor Q9x00 (6MB, 1333MHz FSB)

Intel® Core™2 Quad processor Q8x00 (4MB L2, 1333MHz FSB)

\*Intel® Core™2 Duo processor E8x00 (6MB L2, 1333MHz FSB)

Intel® Core™2 Duo processor E7x00 (3MB L2, 1066MHz FSB)

Intel® Core™2 Duo processor E4x00 (2MB L2, 800MHz FSB)

Intel® Pentium® dual-core processor E5x00 (2MB L2, 800MHz FSB)

Intel® Pentium® dual-core processor E2x00 (1MB L2, 800MHz FSB)

Intel® Celeron® dual-core processor E1x00 (512KB L2, 800MHz FSB)

Intel® Celeron® processor 450 (512KB L2, 800MHz FSB)

### Preloaded Operating System

Genuine Windows Vista® Ultimate 32

Genuine Windows Vista® Business 32

Genuine Windows Vista® Business 64

Genuine Windows Vista® Home Basic 32

Genuine Windows® XP Professional

### Machine Type

M58:

Tower: 9960, 7244, 7355, 7373, 7628, 7639, 6239, 6302

SFF: 6258, 8910, 7174, 7354, 7360, 7627, 7638, 6303

Eco USFF: 6139, 6175, 8820, 7187, 7348, 7359, 7626, 7637

M58p:

Tower: 9965, 7347, 7358, 7484, 7635, 6138, 7188, 6209, 8854\*\*

SFF: 7220, 6234, 9964, 7346, 7357, 7483, 7630, 6137, 3379\*\*

Eco USFF: 9961, 7345, 7356, 7479, 7629, 6136, 8338\*\*

### Chipset

Intel® Q45 Chipset

### Serial ATA Hard Drives

160GB, 250GB, 320GB, 500GB, 1TB/7200 rpm

64GB Flash SDD (Solid State Drive)

### Memory<sup>9</sup>

TWR / SFF: 1GB/2GB PC3-8500 (1066MHz) DDR3

\* M58p can only support Q9XXX & E8XXX series processors.

\*\* Note: SMC model, available in Q1, 2009 in AG and Q2, 2009 worldwide.

### DIMM

Eco USFF: 1GB/2GB PC3-8500 (1066MHz) DDR3

SODIMM

### Optical Drive

DVD-ROM, DVD-Recordable.

Blu-ray™ Recordable/ DVD-Recordable (on Tower Vista® model)

### Integrated Communications

Intel® 82567DM, 10M/100M/1000M Gigabit Ethernet

### Ports

Tower:

(10) USB Ports (2 Front, 6 Rear, 2 Internal),

(1) Parallel (optional),

(2) Serial (1 standard, 1 optional),

(2) PS/2®, (1) eSATA (optional),

(1) VGA, (1) DisplayPort, (1) RJ-45, audio in/out

SFF:

(10) USB Ports (2 Front, 6 Rear, 2 Internal), (1) Parallel (optional),

(2) Serial (1 standard, 1 optional), (2) PS/2®,

(1) eSATA, (1) VGA, (1) DisplayPort,

(1) RJ-45, audio in/out

Eco USFF:

(10) USB Ports (2 Front, 6 Rear, 2 Internal),

(1) Parallel (optional), (1) Serial (optional),

(2) PS/2® (optional), (1) eSATA (optional),

(1) VGA, (1) DisplayPort, (1) RJ-45, audio in/out

### Slots

Tower: (2) FH PCI, (1) FH PCIe 16x, (1) FH PCIe x1

SFF: (1) LP PCI, (1) LP PCIe 16x

Eco USFF: (1) LP PCI

### Bays

Tower:

Internal: (2) 3.5 inch

External: (2) 5.25 inch HH and (1) 3.5 inch

SFF:

Internal: (1) 3.5 inch

External: (1) 5.25 inch HH and (1) 3.5 inch Slim - for media card reader

Eco USFF:

Internal: (1) 3.5 inch

External: (1) 5.25 inch HH

### Power Supply

Tower:

280W standard, 280W 80% Efficiency Active PFC,

450W 80% Efficiency Active PFC

### SFF:

280W Active PFC, 280W 85% Efficiency Active PFC

Eco USFF:

130W External 85% Efficiency AC/DC Power Adapter

### Dimensions (DxWxH)

Tower: 440x175x402 (mm)

SFF: 355x317x99 (mm)

Eco USFF: 238x275x80 (mm)

### Weight (Maximum Configuration)

Tower: 11kg (24.25lbs)

SFF: 7.5kg (16.53lbs)

Eco USFF: 4.18kg (9.22lbs)

### Keyboard

Lenovo Preferred Pro Full-size Keyboard

Preferred Pro Fingerprint Keyboard

Preferred Pro Full-size PS/2® Keyboard

### Graphics

Integrated:

Intel® GMA4500

Discrete:

NVIDIA® 9500 GT 512MB with DP/DVI-I (on Tower Model)

ATI® Radeon HD 3470 XT 256MB with DP/VGA

### Security

TPM 1.2 chip, BIOS individually enable/disable of I/O ports (including all USB ports)

### Limited Warranty

Up to 4 years

### Included Software<sup>10</sup>

Adobe® Acrobat Reader®;

Microsoft® Office 2007 (Hybrid-Pro);

Roxio® Creator™ Business Edition;

Intervideo® WinDVD® (DVD models only);

PC-Doctor for WINPE/Windows;

McAfee® VirusScan® Plus (OEM Edition) with 30 days of virus definition updates;

Sun™ JRE™;

ThinkVantage Fingerprint Software™;

ThinkVantage Productivity Center™;

ThinkVantage Rescue and Recovery®;

ThinkVantage System Update™;

ThinkVantage System Migration Assistant™;

ThinkVantage Client Security Solution™;

ThinkVantage Power™ Manager

## THE GREENEST THINKCENTRE EVER







The M58/M58p is the highest EPEAT Gold Certified ThinkCentre for low energy use and minimal impact on the environment, exceeding the requirements of the world's most widely known eco labels. All form factors are also ENERGY STAR 4.0 Certified and GREENGUARD Indoor Air Quality Certified®. The M58/M58p has ThinkVantage Power Manager, the most advanced power management tool, providing power management control and monitoring. Lenovo's ThinkCentre M58 has improved thermals over its predecessor product, and combined with Lenovo's energy-saving ThinkVision® monitors and keyboards provides the lowest energy consumption solution in the industry.



**lenovo**  
NEW WORLD. NEW THINKING.™

Lenovo® recommends Windows Vista® Business.

## THINKCENTRE M58/M58P DESKTOP ACCESSORIES AND OPTIONS

 <p><b>Additional Memory: 2GB PC3-8500 1066MHz DDR3 UDIMM Memory (43J5435)</b> - SFF, Tower only 2GB PC3-8500 1066MHZ DDR3 SODIMM Memory (43R1988) - Eco USFF only Lowest-cost method to boost system performance</p>	 <p><b>Lenovo 512MB NVIDIA GeForce 9500GT DisplayPort + DVI Graphics Card (45K1635)</b> - Tower <b>Lenovo 256MB ATI Radeon™ HD3470 DisplayPort + VGA Graphics Card (45K1636)</b> - SFF or Tower Boost graphics performance</p>
 <p><b>DisplayPort to Single-Link DVI-D Monitor Cable (45J7915)</b> Attach existing DVI-D (digital) monitor to ThinkCentre or DisplayPort Graphic Card</p>	 <p><b>Lenovo ThinkVision L2440x Wide Flat Panel LCD Monitor - (4421-HB2)</b> <b>Lenovo ThinkVision L197 Wide Flat Panel LCD Monitor - (4434-HE1)</b></p>
 <p><b>Lenovo ThinkVision USB Soundbar (40Y7616)</b> <b>Lenovo ThinkVision Soundbar (45K1263)</b></p>	 <p><b>Lenovo Fingerprint USB Keyboard - U.S. English (73P4730)</b> High performance, fully programmable, superior comfort laser mouse</p>
<p><b>Additional Configurable Options Include:</b></p> <ul style="list-style-type: none"> <li>• Serial Port</li> <li>• DisplayPort-to-DVI Dongle</li> <li>• USB Expansion Port</li> <li>• Wide Array of Discrete Graphics Cards</li> </ul>	



lenovo.com

**lenovo**  
NEW WORLD. NEW THINKING.™

©2008 Lenovo. Produced in the USA, 09-08. All rights reserved.

**Availability:** Offers, prices, specifications and availability may change without notice. Lenovo is not responsible for photographic or typographic errors.

**Pricing:** Does not include tax, shipping and handling, or recycling fees. Reseller prices may vary.

**Warranty:** for a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC, 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third party products or services.

**Footnotes:** [1] Available in Q2, 2009. [2] Optional on Eco USFF. [3] ThinkCentre M58 SFF with ThinkVision L197 Wide vs. ThinkCentre M52 SFF with ThinkVision L194 Wide, mainstream configuration. [4] Packaging on SFF available in select countries. [5] Available on Tower and SFF models. [6] M58p only, available in Q1 2009 in AG and Q2 2009 in WW. [7] Available on Tower and SFF. [8] Available on Tower Vista model. [9] **Models with 4GB Memory:** Total accessible memory will be less and will vary depending on the system configuration. [Maximum capacity may require purchase of optional component]. [10] **Included Software:** May differ from its retail version (if available) and may not include user manuals or all program functionality. License agreements may apply.

**Energy Star:** As an ENERGY STAR Partner, Lenovo has determined that this product meets the ENERGY STAR guidelines for energy efficiency.

**Trademarks:** ThinkVision, System Migration Assistant, Access Connections and Rescue and Recovery are trademarks of Lenovo Group Limited. Lenovo, the Lenovo logo, ThinkCentre and ThinkVantage are registered trademarks of Lenovo Group Limited. vPro is a trademark of Intel Corporation in the United States and other countries. Intel, the Intel logo, Intel Core, Core Inside, Celeron, Celeron Inside, Centrino Inside, Pentium and Pentium inside are trademarks of Intel Corporation in the U.S. and other countries. Microsoft, Windows and Vista are registered trademarks of Microsoft Corporation. PS/2 is a registered trademark of IBM Corporation in the United States, other countries, or both. Citrix is a registered trademark of Citrix Systems Inc. Blu-ray is a trademark of Blu-ray Disc Association. NVIDIA is a registered trademark of NVIDIA Corporation. Adobe and Reader are registered trademarks of Adobe Systems Inc. Creator is a trademark of Sonic Solutions. Roxio is a registered trademark of Sonic Solutions. WinDVD is a registered trademark of Corel Corporation. McAfee and VirusScan are registered trademarks of McAfee Inc. Sun and JRE are trademarks of Sun Microsystems. EPEAT is a trademark of the Green Electronics Council. GREENGUARD Indoor Air Quality Certified is a registered trademark of GREENGUARD Environmental Institute. Other company, product and service names may be trademarks or registered trademarks or service marks of others. All rights reserved.

Visit [lenovo.com/safecomputing](http://lenovo.com/safecomputing) periodically for the latest information on safe and effective computing.

TCM58D-1008-WWEN-01