

# HP Color LaserJet Enterprise M750 Printer series



Print large volumes of professional-quality documents in sizes from postcard up to SRA3. Maintain productivity with intuitive management tools and get convenient printing from laptops, smartphones and tablets.



## Enable colour printing from postcards to posters

- Expand your business options: print presentations, high impact reports and marketing materials on a wide range of media types and sizes – from postcards to SRA3 media.
- Produce high-volume print jobs without frequent paper changes, with a paper capacity of up to 2,350 sheets<sup>2</sup>.
- Improve efficiency with a printer that automatically recognizes paper size and type for best printing results.
- Increase efficiency and versatility with automatic two-sided printing<sup>3</sup>.

## Achieve great colour prints at the speed your business needs

- Print documents fast – up to 30 ppm for A4<sup>4</sup>.
- Get the first page out in as soon as 10 seconds from ready mode and in 16 seconds from power save mode with Instant-on Technology.
- Enjoy consistent print quality: get accurate high-quality, glossy text, graphics on text, images and graphics automatically with HP EasyColor and HP ImageREt.
- Enjoy sharp contrast and vivid colour with the high-gloss toner in Original HP LaserJet print cartridges.

## Rely on a printer that is easy to use and manage.

- Enable easy printing from smartphones, tablets and laptops at work, home or on-the-go<sup>1</sup>.
- Easily integrate gigabit networking and robust security options into your printing fleet.
- Supervise printing fleets remotely using intuitive management tools. Control colour printing usage and costs.
- Quickly print using the easy access USB port. Keep sensitive data safe with the HP High-Performance Secure Hard Disk<sup>5</sup>.

## Minimise your environmental impact.

- Reduce packaging waste with pre-installed toner cartridges – no boxes, wrappers or manuals.
- Reduce waste and use up to 50 percent less paper with two-sided printing<sup>3</sup>.
- Get free and easy recycling – cartridges returned through HP Planet Partners are recycled responsibly<sup>6</sup>.
- Reduce the environmental impact of excess shipping materials with HP ClearView packaging<sup>7</sup>.



Print color up to 30 ppm / Print Mono up to 30 ppm A3



Input tray up to 2,350 sheets



2-sided printing




Easy access USB

## Product walkaround

### HP Color LaserJet Enterprise M750xh shown:

1. 300-sheet top output bin
2. Intuitive control panel with 4-line color display
3. Easy-access USB port for walk-up printing
4. 100-sheet multipurpose tray supports paper sizes up to SRA3
5. One-door access to the easy-to-install print cartridges
6. Built-in automatic two-sided printing
7. 250-sheet tray 2
8. 500-sheet tray 3
9. Three 500-sheet input trays with print stand for 2,350-sheet total input capacity
10. HP High-Performance Secure Hard Disk
11. 1 GB RAM and an 800 MHz processor
12. Two internal host USB 2.0 type ports for third-party solutions
13. Hi-Speed USB 2.0 port for third-party solutions
14. Hi-Speed USB 2.0 printing port
15. Access port for optional Kensington-style lock
16. HP Jetdirect Gigabit Ethernet embedded print server



## Series at a glance



Model	HP Color LaserJet Enterprise M750n	HP Color LaserJet Enterprise M750dn	HP Color LaserJet Enterprise M750xh
<b>Product number</b>	D3L08A	D3L09A	D3L10A
<b>Print Speed (black/colour)<sup>1</sup></b>	Up to 30 ppm (A4/letter); up to 15 ppm (A3/tabloid)	Up to 30 ppm (A4/letter); up to 15 ppm (A3/tabloid)	Up to 30 ppm (A4/letter); up to 15 ppm (A3/tabloid)
<b>100-sheet multipurpose tray 1</b>	Yes	Yes	Yes
<b>250 sheet tray 2</b>	Yes	Yes	Yes
<b>500-sheet tray 3</b>	Yes	Yes	Yes
<b>500-sheet tray 4</b>	Optional <sup>2</sup>	Optional <sup>2</sup>	Not available
<b>3x500-sheet feeder with rolling stand</b>	Optional <sup>2</sup>	Optional <sup>2</sup>	Yes
<b>Automatic two-sided printing</b>	Not available	Yes	Yes
<b>HP High-Performance Secure Hard Disk</b>	Not available	Not available	Yes

<sup>1</sup>Measured using ISO/IEC 24734, excludes first set of test documents. For more information see [hp.com/go/printerclaims](http://hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>2</sup>Optional 500-sheet paper tray and 3x500-sheet paper feeder and stand are sold separately for the M750n and M750dn models; only one optional input accessory may be added. The M750xh model includes the 3x500-sheet paper feeder and stand standard.

## Accessories, Supplies and Support

<b>Supplies</b>	<b>CE270A</b> HP 650A Black Original LaserJet Toner Cartridge 13,500 pages
	<b>CE271A</b> HP 650A Cyan Original LaserJet Toner Cartridge 15,000 pages
	<b>CE272A</b> HP 650A Yellow Original LaserJet Toner Cartridge 15,000 pages
	<b>CE273A</b> HP 650A Magenta Original LaserJet Toner Cartridge 15,000 pages
	<b>CE516A</b> HP LaserJet CE516A Transfer Kit 150,000 pages
	<b>CE977A</b> HP Color LaserJet CE977A 110V Fuser Kit Up to 150,000 pages
	<b>CE978A</b> HP Color LaserJet CE978A 220V Fuser Kit Up to 150,000 pages
	<b>CE980A</b> HP Color LaserJet CE980A Toner Collection Unit Up to 150,000 pages
	<b>Accessories</b>
	<b>CE860A</b> HP Color LaserJet 500-sheet Paper Tray
<b>Connectivity</b>	<b>J8026A</b> HP Jetdirect 2700w USB Wireless Print Server
<b>Service and support</b>	<b>UX963E</b> HP 3 year Next Business Day with Defective Media Retention Color LaserJet CP5525 Hardware Support
	<b>UV276E</b> HP 3 year 4 hour 13x5 Color LaserJet CP5525/M750 Hardware Support
	<b>UX899E</b> HP 4 year Next Business Day with Defective Media Retention Color LaserJet CP5525 Hardware Support
	<b>UX880E</b> HP 5 year Next Business Day with Defective Media Retention Color LaserJet CP5525 Hardware Support
	<b>UV270PE</b> HP 1 year Post Warranty Next Business Day with Defective Media Retention Color LaserJet CP5525 Hardware Support
	<b>UV271PE</b> HP 1 year Post Warranty 4 hour 13x5 Color LaserJet CP5525/M750 Hardware Support
	<b>UV268PE</b> HP 2 year Post Warranty Next Business Day Color LaserJet CP5525/M750 Hardware Support

## Technical specifications

Model	HP Color LaserJet Enterprise M750n	HP Color LaserJet Enterprise M750dn	HP Color LaserJet Enterprise M750xh
<b>Product number</b>	D3L08A	D3L09A	D3L10A
<b>Print speed</b>	Up to 30 ppm black (A4); Up to 30 ppm colour (A4); Up to 30 ipm black duplex (A4) Up to 15 ppm black (A3); Up to 15 ppm colour (A3)		
<b>First page out time</b>	As fast as 10 sec black (A4, ready); As fast as 10 sec colour (A4, ready)		
<b>Print resolution</b>	Up to 600 x 600 dpi black; Up to 600 x 600 dpi colour		
<b>Print technology</b>	Laser		
<b>Print Area</b>	Print margins: Top: 5 mm; Bottom: 5 mm; Left: 5 mm; Right: 5 mm		
<b>Print languages</b>	HP PCL 6, HP PCL 5c (HP PCL 5c driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4), Apple AirPrint™		
<b>Mobile printing capability</b>	HP ePrint, Apple AirPrint™, Mopria-certified		
<b>Monthly duty cycle</b>	Up to 120,000 pages (A4), Recommended monthly page volume: 2500 to 13,000		
<b>Fonts and typefaces</b>	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://hp.com/go/laserjetfonts">hp.com/go/laserjetfonts</a>		
<b>SureSupply supported</b>	Yes		
<b>Processor speed</b>	800 MHz		
<b>Display</b>	5.2 cm, 4-line Colour Graphic Display (CGD) and control panel; 7 job control buttons (Menu, Select, Stop, Back/Exit, Help, Up arrow, Down arrow); 3 LED status lights (Attention, Data, Ready); Enhanced help with animated graphics; Easy-Access USB port with cover		
<b>Wireless</b>	Optional, enabled with purchase of HP Jetdirect 2700w USB Wireless Print Server J8026A		
<b>Connectivity</b>	Standard: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 2 Internal USB Host; Optional: HP Jetdirect 2700w USB Wireless Print Server J8026A		
<b>Network ready</b>	Standard (built-in Gigabit Ethernet)		
<b>Memory</b>	Standard: 1 GB; Maximum: 1 GB		
<b>Hard disk</b>	D3L10A only: Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)		
<b>Functions</b>	Print		
<b>Media types</b>	Paper (extra heavy, glossy, heavy, heavy glossy, high gloss images, intermediate, light, plain, recycle, tough), envelopes, labels, cardstock, transparencies		
<b>Paper size</b>	Custom metric: Tray 1: 76 x 127 to 320 x 470 mm; Tray 2, 3: 148 x 211 to 297 x 432 mm; Optional tray 4, 5, 6: 148 x 211 to 297 x 432 mm Supported metric: Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS), Dpostcard (JIS), Envelopes: B5, C5, C6, DL; Tray 2, 3: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional tray 4,5,6: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS)	Custom metric: Tray 1: 76 x 127 to 320 x 470 mm; Tray 2, 3: 148 x 211 to 297 x 432 mm; Optional tray 4, 5, 6: 148 x 211 to 297 x 432 mm Supported metric: Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS), Dpostcard (JIS), Envelopes: B5, C5, C6, DL; Tray 2, 3: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS); Optional tray 4,5,6: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS)	Custom metric: Tray 1: 76 x 127 to 320 x 470 mm; Trays 2, 3, 4, 5, 6: 148 x 211 to 297 x 432 mm Supported metric: Tray 1: A3, A4, A4-R, A5, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS); 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Postcard (JIS), Dpostcard (JIS), Envelopes: B5, C5, C6, DL; Tray 2, 3, 4, 5, 6: A3, A4, A4-R, A5, RA4, SRA4, B4 (JIS), B5 (JIS); 8K (270 x 390), 8K (260 x 368), 8K (273 x 394), 16K (195 x 270), 16K (184 x 260), 16K (197 x 273); Dpostcard (JIS)

Model	HP Color LaserJet Enterprise M750n	HP Color LaserJet Enterprise M750dn	HP Color LaserJet Enterprise M750xh
<b>Product number</b>	D3L08A	D3L09A	D3L10A
<b>Paper handling</b>	Standard input: 100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input tray 3  Standard output: 300-sheet output bin Optional/Input: 500-sheet input tray (add up to 2) or 3 x 500-sheet paper feeder and stand	Standard input: 100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input tray 3, automatic two-sided printing  Optional/Input: 500-sheet input tray (add up to 2) or 3 x 500-sheet paper feeder and stand	Standard input: 100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input trays 3, 4, 5, 6 automatic two-sided printing
<b>Input capacity</b>	Tray 1: sheets: 100; transparencies: 50; envelopes: 10 Tray 2: sheets: 250; transparencies: 50 Tray 3: sheets: 500 Maximum: Up to 2350 sheets		
<b>Output capacity</b>	Standard: Up to 300 sheets, Up to 40 envelopes, Up to 300 sheets Transparencies Maximum: Up to 300 sheets		
<b>Paper weight</b>	Tray 1: 60 to 220 g/m <sup>2</sup> ; Trays 2, 3: 60 to 120 g/m <sup>2</sup> plain papers, up to 160 g/m <sup>2</sup> coated papers; Optional tray 4, 5, 6: 60 to 120 g/m <sup>2</sup> plain papers, up to 160 g/m <sup>2</sup> coated papers	Tray 1: 60 to 220 g/m <sup>2</sup> ; Trays 2, 3: 60 to 120 g/m <sup>2</sup> plain papers, up to 160 g/m <sup>2</sup> coated papers; Optional tray 4, 5, 6: 60 to 120 g/m <sup>2</sup> plain papers, up to 160 g/m <sup>2</sup> coated papers	Tray 1: 60 to 220 g/m <sup>2</sup> ; Trays 2, 3, 4, 5, 6: 60 to 120 g/m <sup>2</sup> plain papers, up to 160 g/m <sup>2</sup> coated papers
<b>Standard connectivity</b>	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 2 Internal USB Host		
<b>What's in the box</b>	HP Color LaserJet Enterprise M750n printer; four preinstalled HP LaserJet toner cartridges (yield ~13,500 pages black and ~15,000 pages colour); toner collection unit; 100-sheet multipurpose tray 1; 250-sheet input tray 2; 500-sheet input tray 3; Walk-up USB printing; CDs containing device software and User's Guide; documentation (including Getting Started Guides); power cord	HP Color LaserJet Enterprise M750dn printer; four preinstalled HP LaserJet toner cartridges (yield ~13,500 pages black and ~15,000 pages colour); toner collection unit; 100-sheet multipurpose tray 1; 250-sheet input tray 2; 500-sheet input tray 3; Walk-up USB printing; built-in automatic two-sided printing; CDs containing device software and User's Guide; documentation (including Getting Started Guides); power cord	HP Color LaserJet Enterprise M750xh printer; four preinstalled HP LaserJet toner cartridges (yield ~13,500 pages black and ~15,000 pages colour); toner collection unit; 100-sheet multipurpose tray 1; 250-sheet input tray 2; 500-sheet input tray 3; 3x500-sheet paper feeder and stand; Walk-up USB printing; built-in automatic two-sided printing; HP High-Performance Secure Hard Disk, minimum 320 GB, AES 256 hardware encryption or greater, CDs containing device software and User's Guide; documentation (including Getting Started Guides); power cord
<b>Replacement cartridges</b>	HP Color LaserJet Black Print Cartridge (~13,500 pages); HP Color LaserJet Cyan Print Cartridge (~15,000 pages); HP Color LaserJet Yellow Cartridge (~15,000 pages)		
<b>Supported network protocols</b>	IPv4/IPv6; Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLIP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print		
<b>Compatible operating systems</b>	Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X v10.6.8, v10.7.5 Lion, v10.8 Mountain Lion. For the latest operating system support see: AirPrint™ (support.apple.com/kb/ht4356); Android (android.com); Citrix® and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.com/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Print (hp.com/go/sap/print); UNIX® (hp.com/go/unix); UNIX® JetDirect (hp.com/go/jetdirectunix_software)		
<b>Minimum system requirements</b>	Windows: Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (SP2 or higher), Windows Server 2012 (64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2008, Windows Server 2003 (SP1 or higher); 200 MB available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection. Operating system compatible HW system requirements see microsoft.com Mac: Mac OS X v10.6.8, v10.7.5 Lion, v10.8 Mountain Lion; 1 GB of available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated Universal Serial Bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware system requirements see apple.com)		
<b>Software included</b>	HP PCL 6 Discrete Printer Driver; Mac Software Link to Web (Mac Installer); Windows Installer		
<b>Security management</b>	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in		
<b>Printer management</b>	HP Web Jetadmin; HP Utility (Mac)		
<b>Control panel</b>	5.2 cm, 4-line Colour Graphic Display (CGD) and control panel; 7 job control buttons (Menu, Select, Stop, Back/Exit, Help, Up arrow, Down arrow); 3 LED status lights (Attention, Data, Ready); Enhanced help with animated graphics; Easy-Access USB port with cover		
<b>Printer dimensions (W x D x H)</b>	Minimum: 544 x 586 x 465 mm Maximum: 840 x 975 x 465 mm	Minimum: 544 x 586 x 465 mm Maximum: 840 x 975 x 465 mm	Minimum: 745 x 688 x 885 mm Maximum: 840 x 975 x 885 mm
<b>Package dimensions (W x D x H)</b>	714 x 730 x 718 mm		856 x 760 x 1343 mm
<b>Printer Weight</b>	52.4 kg		83 kg
<b>Package weight</b>	62.7 kg		98 kg
<b>Operating environment</b>	Temperature: 15 to 27°C, Humidity: 30 to 70% RH		
<b>Storage</b>	Temperature: 0 to 35°C, Humidity: 10 to 90% RH		
<b>Acoustics</b>	Acoustic power emissions: 6.7 B(A); Acoustic pressure emissions: 50 dB(A)		
<b>Power</b>	Requirements: Input Voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) Consumption: 677.41 watts (printing black), 654.92 watts (printing colour), 59.46 watts (ready), 9.09 watts (sleep), 0.35 watts (off), 0.35 watts (Auto On/Auto Off). Typical Electricity Consumption (TEC): 3.680 kWh/Week. Power supply type: Built-in power supply		
<b>Certifications</b>	CISPR 22:2008/EN 55022:2010 (Class A), EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:2010; EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries ENERGY STAR® qualified		
<b>Warranty</b>	One-year, on-site limited warranty. Warranty and support options vary by product, country and local legal requirements.		

## Footnotes

<sup>1</sup> Local printing requires mobile device and printer to be on the same network. Remote printing requires an internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See [www.hp.com/go/mobileprinting](http://www.hp.com/go/mobileprinting) for more details.; <sup>2</sup> Optional 500-sheet paper tray and 3x500-sheet paper tray with stand are available and sold separately for the n and dn models.; <sup>3</sup> Automatic two-sided printing is available on the dn and xh models only.; <sup>4</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.; <sup>5</sup> HP High-Performance Secure Hard Disk is available only for the xh model.; <sup>6</sup> Programme availability varies. HP print cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners program. For more information, or to request return envelopes and bulk collection boxes, visit [www.hp.com/recycle](http://www.hp.com/recycle).; <sup>7</sup> HP ClearView Packaging is available on the xh model only.



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 11/14 4AA4-8998EEE

